





Birds of

Hagerman National Wildlife Refuge

Snow geese descend like a prairie blizzard upon the 11,320 acre Hagerman National Wildlife Refuge located on Lake Texoma, 10 miles northwest of Sherman, Texas. Just 75 miles north of Dallas where the Red River etches the boundary between Oklahoma and Texas, migratory birds by the thousands refuel for long journeys. The main road through the refuge offers outstanding views of the restless flocks. The refuge was created to provide food and nesting habitat for all types of migratory birds.

Snow, Ross's, and Canada geese spend the entire winter loafing here on the Big Mineral Arm of Lake Texoma. Mississippi kites and scissor-tailed flycatchers hunt the summer skies for insects. Great blue herons call the refuge home in every season.

Hagerman has recorded 330 species of birds that have been seen on the refuge since its establishment in 1946. The information reflected in this list was compiled by refuge staff, volunteers, and visiting ornithologists.

This listing is in accordance with the seventh edition of the *American Ornithologists' Union Checklist of North American Birds*, (1998) and its supplements through July 2010.

Bird List Introduction and Key

If you should find an unlisted or rare species during your visit, please contact the Refuge staff and provide a description. The refuge birds do not recognize traditional calendar seasons, therefore, season designations for species are intended as general guidelines.

Symbols used in this list are defined as follows:

Sp	-	Spring	March - May
\mathbf{S}	-	Summer	June - July
\mathbf{F}	-	Fall	August - November
\mathbf{W}	-	Winter	December - February

Abundance

- A Abundant A common species that is very numerous.
- C Common ___America Likely to be seen in suitable habitats. __Mallard



Green heron. Mike Chiles/USFWS

- U Uncommon Present, not certain to be seen.
- O Occasional Seen few times during the season
- ${\bf R}\,$ Rare Seen at intervals of 2 to 5 years.
- $\begin{array}{ccc} \mathbf{X} & \text{- Accidental} \\ & \text{Has been seen only once or twice.} \end{array}$
- * Nests locally or has previously nested locally
- (I) Introduced
 An established species that is not native to North America.

Italicized bird names indicate threatened or endangered species.

Common Name	Sp	S	F	W
Ducks, Geese, and Swans				
Black-bellied Whistling-D	uck		X	
Fulvous Whistling-Duck			\mathbf{X}	
Gr. White-fronted Goose	U		\mathbf{C}	\mathbf{C}
—Snow Goose	\mathbf{C}		\mathbf{C}	C
Ross's Goose	\mathbf{C}		\mathbf{C}	\mathbf{C}
—Brant			\mathbf{X}	X
—Cackling Goose	0		O	O
—Canada Goose *	U	O	U	U
Mute Swan (I)	\mathbf{X}		\mathbf{X}	X
Tundra Swan			\mathbf{X}	X
—Wood Duck *	U	U	U	U
—Gadwall	U	\mathbf{R}	\mathbf{C}	C
Eurasian Wigeon			\mathbf{X}	
—American Wigeon	O		O	O
American Black Duck	X	\mathbf{X}	\mathbf{X}	X
—Mallard *	U	\mathbf{U}	\mathbf{C}	C

Common Name	Sp	S	F	W					
Ducks, Geese, and Swans, continued									
Mottled Duck			X						
Blue-winged Teal	\mathbf{C}	O	\mathbf{C}	\mathbf{R}					
Cinnamon Teal	O		O	O					
Northern Shoveler	\mathbf{C}	\mathbf{R}	\mathbf{C}	\mathbf{C}					
Northern Pintail	U		\mathbf{C}	\mathbf{C}					
Green-winged Teal	U		\mathbf{C}	\mathbf{C}					
—Canvasback	O		O	O					
Redhead	U		U	U					
Ring-necked Duck	U		U	U					
Greater Scaup			X	\mathbf{X}					
Lesser Scaup	O	\mathbf{R}	U	O					
Surf Scoter				\mathbf{X}					
White-winged Scoter			X	\mathbf{X}					
Long-tailed Duck			\mathbf{R}	\mathbf{R}					
Bufflehead	O		0	0					
Common Goldeneye	O		Ō	0					
Hooded Merganser	O		Ō	Ō					
Common Merganser	Ō		O	Ō					
Red-breasted Merganser	_		R	\mathbf{R}					
Ruddy Duck	O		Ō	O					
New World Quail			_	_					
Northern Bobwhite *	0	O	0	0					
Pheasants									
Ring-necked Pheasant (I)	X								
Turkeys									
Wild Turkey *	U	U	U	U					
Loons		_	_	_					
Red-throated Loon				\mathbf{X}					
Common Loon	\mathbf{R}		\mathbf{R}	$\overline{\mathbf{R}}$					
Grebes									
Pied-billed Grebe *	U	O	U	U					
Horned Grebe	Ŏ		Ŏ	Ŏ					
Red-necked Grebe	~		X						
Eared Grebe	O		0	0					
Western Grebe	-		$\ddot{\mathrm{R}}$	Ř					



 $Snowy\ egret.\ {\it Rick\ Cantu/USFWS}$

Common Name	Sp	S	F	W	Common Name	Sp	S	F	W
Storks					Kites, Eagles and Hawks				
Wood Stork		\mathbf{R}	\mathbf{R}		Osprey	O	O	O	\mathbf{R}
Cormorants					Swallow-tailed Kite	X			
Neotropic Cormorant	${ m R}$	\mathbf{R}	\mathbf{R}	\mathbf{R}	White-tailed Kite	X			
Double-crested Cormoran	t C	O	\mathbf{C}	\mathbf{C}	Mississippi Kite *	U	U	U	
Pelicans					$_Bald\ Eagle$	O		O	O
American White Pelican	\mathbf{C}	O	\mathbf{C}	O	_Northern Harrier	U		U	U
Brown Pelican	${ m R}$		\mathbf{R}	\mathbf{R}	Sharp-shinned Hawk	O		O	O
Anhingas					Cooper's Hawk	O		O	O
Anhinga *	${ m R}$	\mathbf{R}	\mathbf{R}		Northern Goshawk	X			
Herons, Bitterns and Egrets					Common Black-Hawk			X	
American Bittern	O	O	O	O	Harris's Hawk			X	
Least Bittern *	\mathbf{X}	\mathbf{X}	X		Red-shouldered Hawk *	U	U	U	U
Great Blue Heron *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	_Broad-winged Hawk *	0	O	O	
Great Egret *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{R}	Swainson's Hawk *	O	O	O	
Snowy Egret *	\mathbf{C}	\mathbf{C}	\mathbf{C}		Red-tailed Hawk *	U	U	U	U
_Little Blue Heron *	U	\mathbf{C}	\mathbf{C}		Ferruginous Hawk				X
Tricolored Heron	\mathbf{R}	\mathbf{R}	\mathbf{R}		Rough-legged Hawk	\mathbf{R}		\mathbf{R}	R
Reddish Egret	\mathbf{X}	\mathbf{X}			Golden Eagle			\mathbf{X}	X
_Cattle Egret *	\mathbf{C}	\mathbf{C}	\mathbf{C}	O	Caracaras and Falcons				
Green Heron *	U	U	U	\mathbf{X}	Crested Caracara			\mathbf{X}	
Black-crowned Night-Her		O	O	O	American Kestrel	U	\mathbf{R}	U	U
Yellow-crowned Night-He	ron *	O	O	O	Merlin	\mathbf{R}		O	R
Ibises and Spoonbills					Peregrine Falcon	\mathbf{R}		\mathbf{R}	
White Ibis		O	\mathbf{R}		Prairie Falcon	\mathbf{X}		\mathbf{X}	R
White-faced Ibis	O	O	O	\mathbf{X}	Rails, Gallinules and Coots				
Roseate Spoonbill		\mathbf{R}	\mathbf{R}		Black Rail	X			
Vultures					King Rail *	X	\mathbf{X}	X	
Black Vulture *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Virginia Rail	\mathbf{R}		\mathbf{R}	R
Turkey Vulture *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Sora	O	\mathbf{R}	O	
					Purple Gallinule	X			
					Common Moorhen	X	X	\mathbf{X}	
					American Coot	\mathbf{C}	O	A	U
					Cranes				
					Sandhill Crane	\mathbf{R}		R	R
					$_Whooping\ Crane$			X	

Common Name	Sp	S	F	W
Plovers				
Black-bellied Plover	O	\mathbf{R}	O	\mathbf{R}
American Golden-Plover	O	\mathbf{R}	O	
Snowy Plover	R	\mathbf{R}	R	
Semipalmated Plover Piping Plover	0	0	0	
Fiping Flower Killdeer *	U	U	U	U
Mountain Plover	X		O	O
Stilts and Avocets				
Black-necked Stilt	O	O	O	
American Avocet	0	O	O	\mathbf{R}
Sandpipers, Phalaropes and A		ъ		
Spotted Sandpiper	U	R	U	37
Solitary Sandpiper Greater Yellowlegs	0	R U	0	\mathbf{X} \mathbf{U}
Willet	Ö	$\stackrel{ m C}{ m R}$	Ö	O
Lesser Yellowlegs	Ŭ	O	Ŭ	\mathbf{R}
Upland Sandpiper	Ŏ	Ŏ	Ö	
Whimbrel	\mathbf{R}	\mathbf{R}	\mathbf{R}	
Long-billed Curlew	R	\mathbf{R}	\mathbf{R}	
Hudsonian Godwit	0	R	R	
Marbled Godwit	0	R	0	
Ruddy Turnstone Red Knot	R	R R	R R	
Sanderling	O	10	0	
Sander mig Semipalmated Sandpiper	ŏ	R	ŏ	
Western Sandpiper	Ŏ	O	Ŏ	\mathbf{R}
Least Sandpiper	U	U	U	O
White-rumped Sandpiper	U	\mathbf{R}		
Baird's Sandpiper	U	O	U	X
Pectoral Sandpiper	U	0	U	X
Dunlin Stilt Sandpiper	O U	R U	O U	R
Buff-breasted Sandpiper	Ö	$\stackrel{ m C}{ m R}$	Ö	
Short-billed Dowitcher	Ŭ	R	Ŭ	
Long-billed Dowitcher	U	O	U	\mathbf{R}
Wilson's Snipe	U	\mathbf{R}	U	O
American Woodcock		_	\mathbf{R}	\mathbf{R}
Wilson's Phalarope	O	R	0	
Red-necked Phalarope		R	R R	
Red Phalarope Gulls, Terns and Skimmers		10	11	
Sabine's Gull			\mathbf{R}	X
Bonaparte's Gull	O		Ö	O
Little Gull	X			\mathbf{X}
Laughing Gull	R	\mathbf{R}	R	
Franklin's Gull	U	\mathbf{R}	C	\mathbf{R}
Ring-billed Gull	$^{\rm C}$	O	A	A
Herring Gull Glaucous Gull	O		0	O X
Least Tern *	U	U	U	1
Caspian Tern	$^{ m R}$	$\stackrel{\circ}{ m R}$	$^{ m R}$	
Black Tern	Ü	Ü	Ü	
Common Tern	\mathbf{R}	\mathbf{R}		
Forster's Tern	\mathbf{C}	O	\mathbf{C}	\mathbf{R}
_Black Skimmer	X		X	
Jaegers			v	
Parasitic Jaeger Pigeons and Doves			X	
Rock Pigeon (I)	O	O	O	O
Eurasian Collared-Dove (Ŭ	Ŭ	
White-winged Dove	X			
Mourning Dove *	\mathbf{C}	\mathbf{C}	\mathbf{C}	C
_Inca Dove		R	\mathbf{R}	
Cuckoos and Roadrunners	T T	T 7	т.	
Yellow-billed Cuckoo * Black-billed Cuckoo	U	\mathbf{U}	U X	
Greater Roadrunner *	U	U	U	U
Barn Owls	U	J	J	J
_Barn Owl	\mathbf{R}	\mathbf{R}	\mathbf{R}	R
_				

Common Name	Sp	S	F	W
Typical Owls	_		_	
_Eastern Screech-Owl *	0	0	0	O
Great Horned Owl * Snowy Owl	U	O	U	OX
Burrowing Owl	X		X	Λ
Barred Owl *	0	O	O O	O
Short-eared Owl	0		$\ddot{\mathrm{R}}$	$\ddot{ m R}$
Northern Saw-whet Owl			X	X
Goatsuckers				
_Common Nighthawk	O	O	O	
Chuck-will's-widow *	\mathbf{R}	\mathbf{R}	\mathbf{R}	
Eastern Whip-poor-will	\mathbf{R}		\mathbf{R}	
Swifts				
Chimney Swift *	U	\mathbf{U}	U	
Hummingbirds				
_Ruby-thr. Hummingbird *	U	U	U	
Black-ch. Hummingbird	X			
Kingfishers				
Belted Kingfisher *	U	U	U	U
Noodpeckers	тт	T 7	т.	T.T.
_Red-headed Woodpecker *	U	U	U	U
Red-bellied Woodpecker *	C	C	С	C
Yellow-bellied Sapsucker	O R	R	${ m R}^{ m U}$	$_{ m R}^{ m U}$
_Ladder-bac. Woodpecker	r. C			
Downy Woodpecker *	0	C	C	\mathbf{C}
_Hairy Woodpecker * Northern Flicker	U	X	U	U
_Northern Flicker Pileated Woodpecker *	U	U	U	U
r neated woodpecker Hycatchers	U	U	U	U
Olive-sided Flycatcher	0	X	0	
Eastern Wood-Pewee *	Ö	0	ŏ	
Yellow-bellied Flycatcher	R	O	R	
Acadian Flycatcher	R		R	
_Alder Flycatcher	R		R	
Willow Flycatcher	R		R	
Least Flycatcher	Ü		Ō	
Black Phoebe	O		X	
Eastern Phoebe *	U	U	Ū	U
Say's Phoebe	X			
Vermilion Flycatcher	\mathbf{X}		\mathbf{X}	
Ash-throated Flycatcher			\mathbf{X}	
Great Crested Flycatcher [*]	*U	U	U	
Great Kiskadee			\mathbf{X}	\mathbf{X}
Western Kingbird *	U	\mathbf{U}	U	
Eastern Kingbird *	U	U	U	\mathbf{X}
Scissor-tailed Flycatcher *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{X}
Shrikes				
Loggerhead Shrike *	U	U	U	U
Vireos	тт	T.T.	т.	
White-eyed Vireo *	U	U	U	
Bell's Vireo *	R	R	R	
Yellow-throated Vireo	R		\mathbf{v}	
Plumbeous Vireo	O		X	\mathbf{v}
Blue-headed Vireo	_	0	0	X
Warbling Vireo	O R	U	U	
Philadelphia VireoRod_oved Vireo *	к U	U	U	
Red-eyed Vireo *	U	U	U	
Jays and Crows Blue Jay *	С	\mathbf{C}	С	\mathbf{C}
Bide Jay American Crow *	Č	\mathbf{C}	C	\mathbf{C}
Fish Crow	X		U	O
rish Crow Larks	41			
Horned Lark *			U	U
Swallows			U	O
Purple Martin *	U	U	U	
Tree Swallow *	0	$\stackrel{ m C}{ m R}$	Ö	
N. Rough-winged Swallow		0	Ö	
Bank Swallow	ő	J	Ö	
Cliff Swallow *	Č	\mathbf{C}	Č	
Barn Swallow *	Č	$\stackrel{\rm C}{\rm C}$	$\tilde{\mathrm{C}}$	
Barn Swanow Chickadees and Titmice	J		J	
_Carolina Chickadee *	С	\mathbf{C}	\mathbf{C}	\mathbf{C}
Tufted Titmouse *	Č	$\frac{\mathrm{C}}{\mathrm{C}}$	$_{\mathrm{C}}^{\mathrm{C}}$	$\frac{\mathbf{C}}{\mathbf{C}}$
- MI UCU I IUIIUUUU	\sim		\circ	
_				

Common Name	Sp	S	F	W	Common Name	Sp	S	F	W
Nuthatches					Wood-Warblers				
Red-breasted Nuthatch	O		0	O	Tennessee Warbler	O		O	
White-breasted Nuthatch	*U	U	Ü	Ū	Orange-crowned Warbler	O		O	O
Creepers					Nashville Warbler	O		O	O
_Brown Creeper	U		U	U	Northern Parula	\mathbf{R}		\mathbf{R}	
Wrens					_Yellow Warbler	O	\mathbf{R}	O	
Carolina Wren *	\mathbf{C}	C	\mathbf{C}	\mathbf{C}	Chestnut-sided Warbler	\mathbf{R}		\mathbf{R}	
Bewick's Wren *	U	U	U	U	Magnolia Warbler	\mathbf{R}		\mathbf{R}	
House Wren	0		0	O	Black-thr. Blue Warbler	R		X	~
Winter Wren	0		0	O	Yellow-rumped Warbler	\mathbf{C}		\mathbf{C}	C
Sedge Wren	R		R	\mathbf{R}	Black-thr. Green Warbler	R		R	
Marsh Wren	O		O	O	Blackburnian Warbler	R		R	
Gnatcatchers	C	С	C	X	Yellow-throated Warbler	R R		R	
Blue-gray Gnatcatcher * Kinglets	\mathbf{C}	C	C	Λ	Pine Warbler Prairie Warbler	ĸ		R R	
Golden-crowned Kinglet	0		O	O	raine warbier Palm Warbler	R		R R	
Ruby-crowned Kinglet	U		U	U	Bay-breasted Warbler	R		11	
Thrushes and Allies	U		U	O	Blackpoll Warbler	R		R	
Eastern Bluebird *	\mathbf{C}	С	\mathbf{C}	\mathbf{C}	Cerulean Warbler	R		X	
Mountain Bluebird	C		X	\mathbf{X}	Black-and-white Warbler		IJ	Ü	
Veery	R				American Redstart	$\stackrel{\circ}{ m R}$		$\overset{\circ}{\mathrm{R}}$	
Gray-cheeked Thrush	R				Prothonotary Warbler *	Ü	U	Ü	
Swainson's Thrush	O		0		Ovenbird	R	_	R	
Hermit Thrush	O		0	O	Northern Waterthrush	R		R	
Wood Thrush	\mathbf{R}				—Louisiana Waterthrush *	\mathbf{R}	\mathbf{R}	\mathbf{R}	
American Robin	\mathbf{C}	0	\mathbf{C}	\mathbf{C}	Kentucky Warbler *	\mathbf{R}	\mathbf{R}	\mathbf{R}	
Mockingbirds, Catbirds, and T	hrash	ers			Mourning Warbler	\mathbf{R}		\mathbf{R}	
Gray Catbird	O		O	\mathbf{X}	MacGillivray's Warbler	X		X	
_Northern Mockingbird *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Common Yellowthroat *	U	U	U	U
Sage Thrasher			X		Hooded Warbler	X		X	
_Brown Thrasher *	U	U	U	U	Wilson's Warbler	O		0	
_Curve-billed Thrasher			X		_Canada Warbler	R	37	R	
Starlings Ct. 1: (T) *	a	0			Yellow-breasted Chat *	R	X	\mathbf{R}	
European Starling (I) *	\mathbf{C}	С	С	\mathbf{C}	Sparrows and Allies	X			
Pipits	U		U	U	Green-tailed Towhee	Λ ()		0	O
American Pipit Sprague's Pipit	R.		R	\mathbf{R}	Spotted Towhee Eastern Towhee	0		0	0
sprague s ripit Waxwings	n		n	n	Cassin's Sparrow	X		U	U
Cedar Waxwing	U		U	U	American Tree Sparrow	R		\mathbf{R}	\mathbf{R}
Longspurs	U		U	O	Chipping Sparrow	0	R	0	0
McCown's Longspur			R	\mathbf{R}	Clay-colored Sparrow	ŏ	10	Ö	O
Lapland Longspur			R	R	Field Sparrow *	Ü	IJ	Ü	С
Smith's Longspur			R	R	Vesper Sparrow	Ŭ		Ü	ŏ
Chestnut-collared Longs	our		R	R	Lark Sparrow *	Ŭ	U	Ŭ	ŏ
					Lark Bunting			-	$\ddot{\mathbf{X}}$
					_				



Snow geese. Rick Cantu/USFWS



 $White ext{-}faced\ ibises.$ Rick Cantu/USFWS

If you should find an unlisted or rare species during your visit, please contact the Refuge staff and provide a description. We welcome visitor wildlife reports to help augment our records.

For Additional Information

Hagerman National Wildlife Refuge 6465 Refuge Road Sherman, TX 75092 903/786-2826 903/786-3327 FAX www.fws.gov/southwest/refuges/texas/ hagerman/

January 2011

Common Name	Sp	S	F	W
Sparrows and Allies, continue	d			
Savannah Sparrow	A		A	Α
Grasshopper Sparrow *	U	U	U	
LeConte's Sparrow	U		U	U
Nelson's Sparrow			\mathbf{R}	
Fox Sparrow	U		U	U
Song Sparrow	U		U	U
Lincoln's Sparrow	O		O	O
Swamp Sparrow	U		U	U
White-throated Sparrow	$_{\mathrm{C}}^{\mathrm{C}}$		\mathbf{C}	\mathbf{C}
Harris' Sparrow	\mathbf{C}		\mathbf{C}	\mathbf{C}
White-crowned Sparrow	C		\mathbf{C}	\mathbf{C}
Dark-eyed Junco				
Slate-colored Junco	\mathbf{C}		\mathbf{C}	\mathbf{C}
Oregon Junco	O		O	O
Tanagers, Cardinals, Grosbeak	s and	Bur	ntings	
Summer Tanager *	U	U	Ū	
Northern Cardinal *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
Rose-breasted Grosbeak	\mathbf{R}		\mathbf{R}	
Black-headed Grosbeak	\mathbf{X}		\mathbf{X}	
Blue Grosbeak *	U	U	U	
Lazuli Bunting	\mathbf{R}			
Indigo Bunting *	\mathbf{C}	\mathbf{C}	U	
Painted Bunting *	\mathbf{C}	\mathbf{C}	U	
Dickcissel *	\mathbf{C}	\mathbf{C}	U	
Blackbirds and Orioles				
Bobolink	O		X	
Red-winged Blackbird *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
Eastern Meadowlark *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
Western Meadowlark	O		\mathbf{C}	\mathbf{C}
Yellow-headed Blackbird	O	\mathbf{R}	O	\mathbf{R}
Rusty Blackbird	${ m R}$		${ m R}$	\mathbf{R}
Brewer's Blackbird	O		U	U
—Common Grackle *	U	U	O	O
Great-tailed Grackle *	U	U	O	0
Brown-headed Cowbird *	\mathbf{C}	\mathbf{C}	\mathbf{C}	0
_Orchard Oriole *	O	O	O	
D 1.1 0 1 1 1	_	_	_	

Baltimore Oriole *

Common Name	Sp	S	F	W
Finches				
Purple Finch	O		O	O
House Finch *	O	O	O	O
Red Crossbill			\mathbf{X}	\mathbf{X}
—Pine Siskin	O		U	U
—American Goldfinch *	U	\mathbf{R}	\mathbf{C}	\mathbf{C}
Evening Grosbeak	${ m R}$		${ m R}$	\mathbf{R}
Old World Sparrow				
House Sparrow (I) *	U	U	U	U



Great blue heron. Rick Cantu/USFWS